

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4371	((335/179) or (335/201) or (335/278) or (335/260) or (335/281) or (336/96)). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/26 22:10
S1	1	("6417749").PN.	USPAT	OR	OFF	2009/09/09 08:01
S2	1665	335/260.ccls. or 336/96. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/09 08:21
S3	1241476	elastic elasticity elasticly	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 08:21
S4	144	S2 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 08:21
S5	333087	((elastic elasticity elasticly silicone rubber) with (casting cast resinous resin))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 10:15
S6	51756	"335"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 10:15
S7	319	S5 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 10:15
S8	0	("2006/0192643").URPN.	USPAT	OR	OFF	2009/09/09 10:20

S9	30	("2743308"   "3587168"   "3683303"   "3848331"   "3860896"   "4042955"   "4484161"   "4514712"   "4814734"   "4849728"). PN. OR ("5138292"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/09 14:50
S10	6	("20020140533"   "20020163408"   "5557132"   "5606447"   "5673785"   "5872496"). PN. OR ("7482900"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/09 14:55
S11	13	("2877319"   "3076878"   "3344374"   "3387240"). PN. OR ("3638149"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/09 15:07
S12	124023	armature and contact	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:55
S13	1774	335/151-154.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:56
S14	374	S12 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:56
S15	135	permalloy with (sintering sinter sintered)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 16:08
S16	69405	relay and (core or yoke)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 16:16
S17	923	permalloy and (sintering sinter sintered)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 16:16

S18	14	S16 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 16:16
S19	1847	335/78-86.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/10 06:11
S20	2918939	resin resinous encapsulate encapsulated encapsulation encapsulant	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 06:13
S21	276	S19 and S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 06:13
S22	11427	(core or yoke) with (sintering sinter sintered)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 06:55
S23	8	S19 and S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 06:55
S24	133790	cover with (resin casting cast potted potting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 07:47
S25	44	S19 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 07:47

S26	17350	cover with (resin casting cast potted potting) with (fasten fastened stake staked fastener screw screwed attach attached attachment attaching connected connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 07:49
S27	17973	cover with (resin casting cast potted encapsulant potting) with (fasten fastened stake staked fastener screw screwed attach attached attachment attaching connected connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 07:49
S28	5	S19 and S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 07:49
S29	1454	336/96.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 07:52
S30	1665	335/260.ccls. or 336/96.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/10 07:52
S31	25	S27 and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/10 07:52
S32	4020	cover with (resin casting cast potted encapsulant potting) with (fasten fastened stake staked fastener screw screwed)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 08:00
S33	282	(resin casting cast potted encapsulant potting) with (cover near (fasten fastened stake staked fastener screw screwed))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 08:01

S34	224699	"335"/\$.ccls. or "251"/\$. ccls. or "36"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 08:01
S35	8	S33 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 08:01
S36	24	(potted encapsulant potting) with (cover near (fasten fastened stake staked fastener screw screwed))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 08:03
S37	17	("1837051"   "2444312"   "3141049"   "3584106"). PN. OR ("3778529"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/10 08:06
S38	310784	pot potted potting	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 14:08
S39	24505	reed near (relay switch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 14:09
S40	1095	S38 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 14:09
S41	4203	(reed near (relay switch)). ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 14:10
S42	46	S38 and S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 14:10

S43	72	(potted potting) with (case or can) with lid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 14:17
S44	1454	336/96.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/10 14:23
S45	1665	335/260.ccls. or 336/96.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/10 14:24
S46	222	335/260.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/10 14:45
S47	2	S39 and S46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/10 14:45
S48	208320	(case or can or container or housing) with lid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 14:46
S49	10	S41 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 14:46
S50	95385	((lid cover) with (can casing housing container)) and ((resin casting cast potted potting) with (can casing housing container))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 14:51
S51	214600	"335"/\$.ccls. or "251"/\$.ccls. or "336"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 14:51

S52	216650	"335"/\$.ccls. or "336"/\$. ccls. or "200"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 14:52
S53	1959	S50 and S52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 14:52
S54	41745	((lid cover) with (can casing housing container)) same ((resin casting cast potted potting) with (can casing housing container))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 14:52
S55	1060	S52 and S54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 14:53
S56	42722	((lid cover) with (casing housing container)) and ((resin casting cast potted potting) with (casing housing container))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 14:53
S58	1349	S52 and S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/10 15:30
S59	7	S41 and S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/10 16:03
S60	396	((lid cover) with (casing housing container)) same (reed near (relay switch))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 16:05
S61	46	S56 and S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 16:06

S62	236	(reed near (relay switch)) same ((resin casting cast potted potting) with (can casing housing container))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 16:10
S63	185	(reed near (relay switch)) and ((relay switch) with (resin casting cast potted potting) with (can casing housing container))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/10 16:12
S64	1774	335/151-154.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/11 14:31
S65	388719	potted potting encapsulate encapsulated encapsulation encapsulant	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/11 14:31
S66	204	S64 and S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/11 14:31
S67	1	("20040169989").PN.	US-PGPUB	OR	OFF	2009/09/11 18:58
S68	8	pulverulent with magnet with (sintering sinter sintered)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/11 20:33
S69	24	"720194"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/12 17:22



S70	32	(US-20010028291-\$).did. or (US-5138292-\$ or US- 7482900-\$ or US-6371270- \$ or US-5977852-\$ or US- 5966062-\$ or US-4230156- \$ or US-3638149-\$ or US- 5382933-\$ or US-4484161- \$ or US-4179798-\$ or US- 4148000-\$ or US-4063203- \$ or US-3959758-\$ or US- 4701721-\$ or US-3778529- \$ or US-3584106-\$ or US- 3141049-\$ or US-5438307- \$ or US-5580396-\$).did. or (US-3584106-\$ or US- 2339088-\$ or US-2768231- \$ or US-2795678-\$ or US- 3218408-\$ or US-3171918- \$).did. or (JP-05266777-\$ or JP-04248219-\$ or JP- 04129124-\$ or JP- 61174605-\$ or JP- 2003049203-\$).did. or (DE- 3720136-\$).did.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2009/09/12 17:47
S71	176	normally near closed near reed near switch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 16:46
S72	1	("3273422").PN.	USPAT	OR	OFF	2009/11/12 05:51
S73	1852	((335/202) or (335/278)). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/26 19:36
S74	1	((((elastic elasticity elasticly silicone rubber) near2 (casting cast resinous resin)) and (solenoid coil electromagnet) and (core yoke) and (switch contactor breaker)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/26 19:40
S75	120	((((elastic elasticity elasticly silicone rubber) near2 (casting cast resinous resin)) and (solenoid coil electromagnet) and (core yoke)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/26 19:41

S76	128	(maier near2 reinhard).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/26 19:47
S77	19	(erich near2 zerbian).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/26 19:47

**EAST Search History (Interference)**

< This search history is empty >

**11/ 26/ 2009 10:27:25 PM**

**C:\ Documents and Settings\ rbarrera\ My Documents\ EAST\ workspaces\ 10563753.wsp**